

## YOUR LOCAL, FULL-SERVICE SEED EXPERTS

# COMPETITIVE 0% FINANCING OPTIONS AVAILABLE CONTACT US TODAY TO LEARN MORE!

HUFFMAN LLC 1478 S SNYDER RD. NEW LEBANON, OH 45345

BRAD COLLINS 740-591-4003 Brad@Huffman.llc PHILIP HUFFMAN 937-689-7955 PHILIP@HUFFMAN.LLC




## 2775ES 2.7 RM Enlist E3% STS®



#### HYBRID HIGHLIGHTS

• • APeking beanat justthe right maturity! Performs across all soil types Nice disease package East, Central, or West—this bean is best!



#### PLANT CHARACTERISTICS

Flower Color	Purple
Pubescence Color	Light Tawny
Pod Color	Brown
Hilum Color	Brown
Plant Type	Medium
Plant Height	Med-Tall
Phytophthora Gene	Rps 1k
SCN Gene	Peking

#### HERBICIDE TOLERANCE

Glyphosate	Yes
Glufosinate	Yes
Dicamba	No
2,4-D Choline	Yes
STS	Yes

#### **AGRONOMICS**

Emergence	Very Good
No-Till	Very Good
Wide Row Adaptation	Average
Stress Tolerance	Very Good
Standability	Above Avg
Chloride Sensitivity	Includer

#### **DISEASE TOLERANCE**

SDS	Very Good
PRR Field Tolerance	Very Good
IDC Tolerance	Above Avg
BSR	Resistant
White Mold	Above Avg
Stem Canker	Resistant
Frogeye	N/A

#### YIELD ENVIRONMENT **PLACEMENT**

Tough	Very Good
Variable	Very Good
High Yield	Very Good

#### SOIL PLACEMENT

Stress Prone	Very Good
Variable	Excellent
Poorly Drained	Above Avg
Highly Productive	Very Good

#### **Ratings**

Excellent   Resistant
Very Good   Moderately Resistant
Above Average
Average
Below Average   Moderately Susceptible

This variety contains a trait providing enhanced tolerance to labeled specific sulfonylurea soybean herbicides. The STS® gene will not safeguard this variety against other herbicide chemistries which are labeled to be used only over-the-top of crops that have a different and specified herbicide resistant gene. Always read and follow herbicide directions prior to use. Not all herbicides are registered for sale or use in all states or counties in the United States or all provinces in Canada. Contact your local regulatory agency to determine if a product is registered for sale or use in your area. Always read and follow label directions. ACCIDENTAL APPLICATION OF INCOMPATIBLE HERBICIDES TO THIS VARIETY COULD RESULT IN TOTAL CROP LOSS. YOU MUST SIGN A TECHNOLOGY USE AGREEMENT AND READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. The purchase of these seeds includes a limited license to produce a single soybean crop in the United States (or other applicable country). The use of seed from such a crop or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. Resale or transfer of the seed is strictly prohibited.

Corteva Agriscience and M.S. Technologies, L.L.C. Enlist, Enlist E3, the Enlist E3 logo, and

herbicide tolerant trait

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® applied. Contact your state pesticide regulatory agency if you have questions about the technology are the only herbicides containing 2,4-D that are authorized for registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide

PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being

ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by ADDITION TO CIVIL AND/ OR CRIMINAL PENALTIES. Additional product-specific Conteva Applications of Child Product Specific Child Pr stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can FORTUS and trademarks of Korkys. Agriculture and its affiliated companies. FORTUS and





## 2846ES 2.8 RM Enlist E39STS®





#### HYBRID HIGHLIGHTS

• Next levelyield! Good standability

Excellent for productive soils

Has the right agronomics for clay soils

Very reliable genetic background

# REGION ADAPTABILITY

#### PLANT CHARACTERISTICS

Flower Color	White
Pubescence Color	Light Tawny
Pod Color	Brown
Hilum Color	Black
Plant Type	Medium
Plant Height	Medium
Phytophthora Gene	Rps 1k
SCN Gene	PI 88.788

#### HERBICIDE TOLERANCE

Glyphosate	Yes
Glufosinate	Yes
Dicamba	No
2,4-D Choline	Yes
STS	Yes

#### **AGRONOMICS**

Emergence	Very Good
No-Till	Very Good
Wide Row Adaptation	Average
Stress Tolerance	Very Good
Standability	Very Good
Chloride Sensitivity	Includer

#### DISEASE TOLERANCE

SDS	Above Avg
PRR Field Tolerance	Very Good
IDC Tolerance	Above Avg
BSR	N/A
White Mold	Above Avg
Stem Canker	Resistant
Frogeye	N/A

#### YIELD ENVIRONMENT **PLACEMENT**

Tough	Above Avg
Variable	Very Good
High Yield	Very Good

#### SOIL PLACEMENT

Stress Prone	Above Avg
Variable	Very Good
Poorly Drained	Very Good
Highly Productive	Very Good

#### **Ratings**

Excellent   Resistant
Very Good   Moderately Resistant
Above Average
Average
Average Below Average   Moderately Susceptible

This variety contains a trait providing enhanced tolerance to labeled specific sulfonylurea soybean herbicides. The STS® gene will not safeguard this variety against other herbicide chemistries which are labeled to be used only over-the-top of crops that have a different and specified herbicide resistant gene. Always read and follow herbicide directions prior to use. Not all herbicides are registered for sale or use in all states or counties in the United States or all provinces in Canada. Contact your local regulatory agency to determine if a product is registered for sale or use in your area. Always read and follow label directions. ACCIDENTAL APPLICATION OF INCOMPATIBLE HERBICIDES TO THIS VARIETY COULD RESULT IN TOTAL CROP LOSS. YOU MUST SIGN A TECHNOLOGY USE AGREEMENT AND READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. The purchase of these seeds includes a limited license to produce a single soybean crop in the United States (or other applicable country). The use of seed from such a crop or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. Resale or transfer of the seed is strictly prohibited.

Corteva Agriscience and M.S. Technologies, L.L.C. Enlist, Enlist E3, the Enlist E3 logo, and



herbicide tolerant trait

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology applied. Contact your state pesticide regulatory agency if you have questions about the are the only herbicides containing 2,4-D that are authorized for preemergence and registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" ADDITION TO CIVIL AND/ OR CRIMINAL PENALTIES. Additional product-specific Conteva Agriccience and M.S. Technologies, I.I. C. Enlist, Enlist, E3 the Enlist, E3 the Enlist E3 the valid for the month and state and county in which Enlist One or Enlist Duo are being

ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can FORTUS are trademarks of Korkys Agriculture and Its officers are trademarks of Korkys Agriculture and Its officers are trademarks and Its officers are tradem





## 3005ES 3.0 RM Enlist E39STS®



#### HYBRID HIGHLIGHTS

• • Built forvariable soils! Good height and canopy width Excellent Phytophthora field tolerance Yields in fields with heavy SDS pressure Solid standability for height Avoid heavy White Mold pressure



#### REGION ADAPTABILITY



#### PLANT CHARACTERISTICS

Flower Color	Purple
Pubescence Color	Gray
Pod Color	Brown
Hilum Color	Imp Black
Plant Type	Med-Bush
Plant Height	Med-Tall
Phytophthora Gene	NG
SCN Gene	PI 88.788

#### HERBICIDE TOLERANCE

Glyphosate	Yes
Glufosinate	Yes
Dicamba	No
2,4-D Choline	Yes
STS	Yes

#### **AGRONOMICS**

Emergence	Very Good
No-Till	Very Good
Wide Row Adaptation	Very Good
Stress Tolerance	Excellent
Standability	Above Avg
Chloride Sensitivity	Includer

#### DISEASE TOLERANCE

SDS	Above Avg
PRR Field Tolerance	Excellent
IDC Tolerance	Above Avg
BSR	N/A
White Mold	Average
Stem Canker	Resistant
Frogeye	Above Avg

#### YIELD ENVIRONMENT **PLACEMENT**

Tough	Excellent
Variable	Excellent
High Yield	Above Avg

#### SOIL PLACEMENT

Stress Prone	Very Good
Variable	Excellent
Poorly Drained	Very Good
Highly Productive	Above Avg

#### **Ratings**

Excellent   Resistant
Very Good   Moderately Resistant
Above Average
Average
Below Average   Moderately Susceptible

This variety contains a trait providing enhanced tolerance to labeled specific sulfonylurea soybean herbicides. The STS® gene will not safeguard this variety against other herbicide chemistries which are labeled to be used only over-the-top of crops that have a different and specified herbicide resistant gene. Always read and follow herbicide directions prior to use. Not all herbicides are registered for sale or use in all states or counties in the United States or all provinces in Canada. Contact your local regulatory agency to determine if a product is registered for sale or use in your area. Always read and follow label directions. ACCIDENTAL APPLICATION OF INCOMPATIBLE HERBICIDES TO THIS VARIETY COULD RESULT IN TOTAL CROP LOSS. YOU MUST SIGN A TECHNOLOGY USE AGREEMENT AND READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. The purchase of these seeds includes a limited license to produce a single soybean crop in the United States (or other applicable country). The use of seed from such a crop or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. Resale or transfer of the seed is strictly prohibited.

Corteva Agriscience and M.S. Technologies, L.L.C. Enlist, Enlist E3, the Enlist E3 logo, and



herbicide tolerant trait

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology applied. Contact your state pesticide regulatory agency if you have questions about the are the only herbicides containing 2,4-D that are authorized for preemergence and registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" ADDITION TO CIVIL AND/ OR CRIMINAL PENALTIES. Additional product-specific Conteva Agriccience and M.S. Technologies, I.I. C. Enlist, Enlist, E3 the Enlist, E3 the Enlist E3 the valid for the month and state and county in which Enlist One or Enlist Duo are being

ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can FORTUS are trademarks of Korkys Agriculture and Its officers are trademarks of Korkys Agriculture and Its officers are trademarks and Its officers are tradem







NFW



#### 3.1 RM

**Trait:** ENLIST E3®

#### **■** Variety Highlights

- · Go anywhere bean!
- · Handles wet soils well
- Excellent Yield Data
- · Very Good disease package

#### Region Adaptability



#### ■ Plant Characteristics

Flower Color	Purple
Pubescence Color	Gray
Pod Color	Brown
Hilum Color	Bu
Plant Type	Medium-Bush
Plant Height	Medium/Tall
Phytophthora Gene	Rps 1c
SCN Gene	PI 88.788

#### **■** Disease Tolerance

SDS	AboveAverage
PRR FieldTolerance	Excellent
IDC Tolerance	Average
BSR	N/A
White Mold	Average
Root Knot	N/A
Stem Canker	Resistant
Frogeye	N/A
Cercospora	N/A

### OYBEANS

#### Herbicide Sensitivity

	PPO Sensitivity
1	MetribuzinSensitivity

#### **■** Herbicide Tolerance

Glyphosate	YES
Glufosinate	YES
Dicamba	NO
2,4-D Choline	YES
STS	NO

#### Yield Environment Placement

Tough	Very Good
Variable	Very Good
High Yield	Very Good

#### Notes


#### Agronomics

Emergence	Very Good
NO-TIII	Very Good
wide Row Adaptation	Very Good
Stress Folerance	Very Good
standability	Very Good
Chioride Sensitivity	Includer

#### Soil Placement

Stress Prone	Very Good
Varied	Excellent
Poorly Drained	Excellent
Highly Productive	Excellent

#### Key



Fortus is a trademark of M.S. Technologies, L.L.C West Point, IA

<sup>•</sup>Impressive combination of yield and agronomics!

## 3394E

#### 3.3 RM Enlist E3®



#### HYBRID HIGHLIGHTS

• • The returning champ!

The King of Consistency in data sets!

Legendary parentage—true soybean royalty!

Peking SCN resistance for sands and loams!

Phytophthora field tolerance for the clay soils!

Height, width, and stress tolerance for the variable soils



#### PLANT CHARACTERISTICS

Flower Color	Purple
Pubescence Color	Gray
Pod Color	Tan
Hilum Color	Imp Black
Plant Type	Med-Bush
Plant Height	Med-Tall
Phytophthora Gene	NG
SCN Gene	Peking

#### HERBICIDE TOLERANCE

Glyphosate	Yes
Glufosinate	Yes
Dicamba	No
2,4-D Choline	Yes
STS	No

#### **AGRONOMICS**

Emergence	Very Good
No-Till	Very Good
Wide Row Adaptation	Very Good
Stress Tolerance	Excellent
Standability	Very Good
Chloride Sensitivity	Includer

#### DISEASE TOLERANCE

SDS	Very Good
PRR Field Tolerance	Excellent
IDC Tolerance	Above Avg
BSR	Resistant
White Mold	N/A
Stem Canker	Resistant
Frogeye	Above Avg

#### YIELD ENVIRONMENT **PLACEMENT**

Tough	Very Good
Variable	Excellent
High Yield	Excellent

#### SOIL PLACEMENT

Stress Prone	Very Good
Variable	Excellent
Poorly Drained	Very Good
Highly Productive	Very Good

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® applied Contact your state pesticide regulatory agency if you have questions about the technology are the only herbicides containing 2,4-D that are authorized for registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being

ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION, USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/ OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitstewardship.com

#### Ratings

Excellent | Resistant Very Good | Moderately Resistant Above Average Below Average | Moderately Susceptible Poor | Susceptible

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. FORTUS and FORTUS logo are trademarks of M.S. Technologies, L.L.C., West Point, IA. K-446111





## 3456ES 3.4 RM Enlist E39STS®





#### HYBRID HIGHLIGHTS

• • High yield special! Standability and Phytophthora tolerance Unique variety Solid defensive package



#### PLANT CHARACTERISTICS

Flower Color	White
Pubescence Color	Light Tawny
Pod Color	Brown
Hilum Color	Black
Plant Type	Med-Bush
Plant Height	Medium
Phytophthora Gene	Rps 1c
SCN Gene	PI 88.788

#### HERBICIDE TOLERANCE

Glyphosate	Yes
Glufosinate	Yes
Dicamba	No
2,4-D Choline	Yes
STS	Yes

#### **AGRONOMICS**

Emergence	Very Good
No-Till	Very Good
Wide Row Adaptation	Very Good
Stress Tolerance	Very Good
Standability	Excellent
Chloride Sensitivity	Includer

#### DISEASE TOLERANCE

SDS	Above Avg
PRR Field Tolerance	Very Good
IDC Tolerance	Above Avg
BSR	N/A
White Mold	Average
Stem Canker	Resistant
Frogeye	N/A

#### YIELD ENVIRONMENT **PLACEMENT**

Tough	Above Avg
Variable	Very Good
High Yield	Excellent

#### **SOIL PLACEMENT**

Stress Prone	Above Avg
Variable	Very Good
Poorly Drained	Very Good
Highly Productive	Excellent

#### **Ratings**



This variety contains a trait providing enhanced tolerance to labeled specific sulfonylurea soybean herbicides. The STS® gene will not safeguard this variety against other herbicide chemistries which are labeled to be used only over-the-top of crops that have a different and specified herbicide resistant gene. Always read and follow herbicide directions prior to use. Not all herbicides are registered for sale or use in all states or counties in the United States or all provinces in Canada. Contact your local regulatory agency to determine if a product is registered for sale or use in your area. Always read and follow label directions. ACCIDENTAL APPLICATION OF INCOMPATIBLE HERBICIDES TO THIS VARIETY COULD RESULT IN TOTAL CROP LOSS. YOU MUST SIGN A TECHNOLOGY USE AGREEMENT AND READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. The purchase of these seeds includes a limited license to produce a single soybean crop in the United States (or other applicable country). The use of seed from such a crop or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. Resale or transfer of the seed is strictly prohibited.

stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can FORTUS are trademarks of Korkys Agriculture and Its officers are trademarks of Korkys Agriculture and Its officers are trademarks and Its officers are tradem



herbicide tolerant trait

technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® applied. Contact your state pesticide regulatory agency if you have questions about the technology are the only herbicides containing 2,4-D that are authorized for registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide

PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION, USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2.4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN
The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by ADDITION TO CIVIL AND/ OR CRIMINAL PENALTIES. Additional product-specific Corteva Agriscience and M.S. Technologies, L.L.C. Enlist, Enlist E3, the Enlist E3 logo, and





## 3665E

#### 3.6 RM Enlist E3®



#### HYBRID HIGHLIGHTS

.. Loves the Eastern CornBelt!

Good on variable and stress soils

Phytophthora tolerance and K gene for wetter fields!

Nice height and width

Reduce planting population in productive soils



#### PLANT CHARACTERISTICS

Flower Color	Purple
Pubescence Color	Light Tawny
Pod Color	Brown
Hilum Color	Black
Plant Type	Med-Bush
Plant Height	Med-Tall
Phytophthora Gene	Rps 1k
SCN Gene	PI 88.788

#### HERBICIDE TOLERANCE

Glyphosate	Yes
Glufosinate	Yes
Dicamba	No
2,4-D Choline	Yes
STS	No

#### **AGRONOMICS**

Emergence	Very Good
No-Till	Very Good
Wide Row Adaptation	Very Good
Stress Tolerance	Very Good
Standability	Above Avg
Chloride Sensitivity	Includer

#### **DISEASE TOLERANCE**

SDS	Above Avg
PRR Field Tolerance	Very Good
IDC Tolerance	Above Avg
BSR	N/A
White Mold	N/A
Stem Canker	Resistant
Frogeye	Above Avg

#### YIELD ENVIRONMENT **PLACEMENT**

Tough	Very Good
Variable	Excellent
High Yield	Above Avg

#### SOIL PLACEMENT

Stress Prone	Very Good
Variable	Excellent
Poorly Drained	Very Good
Highly Productive	Above Avg

labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® applied Contact your state pesticide regulatory agency if you have questions about the technology are the only herbicides containing 2,4-D that are authorized for registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION, USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/ OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitstewardship.com

#### **Ratings**

Excellent | Resistant Very Good | Moderately Resistant Above Average Below Average | Moderately Susceptible Poor | Susceptible

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. FORTUS and FORTUS logo are trademarks of M.S. Technologies, L.L.C., West Point, IA. K-446111





## 3815E

#### 3.8 RM Enlist E3®



#### HYBRID HIGHLIGHTS

- VersatilelateGroupIII soybean
- More yield and height than previous Enlist E3® Releases
- · Excellent Phytophthora field tolerance
- Good Branching
- Impressive disease tolerance package
- Fill the tanks and warehouses with this bean!



#### PLANT CHARACTERISTICS

Flower Color	White
Pubescence Color	Light Tawny
Pod Color	Brown
Hilum Color	Black
Plant Type	Med-Bush
Plant Height	Med-Tall
Phytophthora Gene	Rps 1k
SCN Gene	PI 88.788

#### HERBICIDE TOLERANCE

Glyphosate	Yes
Glufosinate	Yes
Dicamba	No
2,4-D Choline	Yes
STS	No

#### **AGRONOMICS**

Emergence	Very Good
No-Till	Very Good
Wide Row Adaptation	Very Good
Stress Tolerance	Very Good
Standability	Above Avg
Chloride Sensitivity	Includer

#### **DISEASE TOLERANCE**

SDS	Above Avg
PRR Field Tolerance	Very Good
IDC Tolerance	Above Avg
BSR	N/A
White Mold	N/A
Stem Canker	Resistant
Frogeye	Very Good

#### YIELD ENVIRONMENT **PLACEMENT**

Tough	Very Good
Variable	Excellent
High Yield	Very Good

#### SOIL PLACEMENT

Stress Prone	Above Avg
Variable	Excellent
Poorly Drained	Very Good
Highly Productive	Very Good

labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® applied Contact your state pesticide regulatory agency if you have questions about the technology are the only herbicides containing 2,4-D that are authorized for registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION, USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/ OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitstewardship.com

#### Ratings

Excellent | Resistant Very Good | Moderately Resistant Above Average Below Average | Moderately Susceptible Poor | Susceptible

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C. Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience and its affiliated companies. FORTUS and FORTUS logo are trademarks of M.S. Technologies, L.L.C., West Point, IA. K-446111





## 4125ES 4.1 RM Enlist E39STS®



#### HYBRID HIGHLIGHTS

• • Topyielding fullseason soybean! Stands well in high yield environments STS® herbicide tolerant trait—great for double crop! Excluder—great for irrigation! Good rating for target spot



#### PLANT CHARACTERISTICS

Flower Color	White
Pubescence Color	Light Tawny
Pod Color	Brown
Hilum Color	Black
Plant Type	Med-Bush
Plant Height	Medium
Phytophthora Gene	NG
SCN Gene	PI 88.788

#### HERBICIDE TOLERANCE

Glyphosate	Yes
Glufosinate	Yes
Dicamba	No
2,4-D Choline	Yes
STS	Yes

#### **AGRONOMICS**

Emergence	Very Good
No-Till	Very Good
Wide Row Adaptation	Very Good
Stress Tolerance	Above Avg
Standability	Very Good
Chloride Sensitivity	Excluder

#### DISEASE TOLERANCE

SDS	Above Avg
PRR Field Tolerance	Above Avg
IDC Tolerance	N/A
BSR	N/A
White Mold	N/A
Stem Canker	Resistant
Frogeye	Very Good

#### YIELD ENVIRONMENT **PLACEMENT**

Tough	Above Avg
Variable	Very Good
High Yield	Excellent

#### SOIL PLACEMENT

Stress Prone	Above Avg
Variable	Very Good
Poorly Drained	Average
Highly Productive	Excellent

#### **Ratings**

Excellent   Resistant
Very Good   Moderately Resistant
Above Average
Average
Below Average   Moderately Susceptible
below Average   Woderately Susceptible

This variety contains a trait providing enhanced tolerance to labeled specific sulfonylurea soybean herbicides. The STS® gene will not safeguard this variety against other herbicide chemistries which are labeled to be used only over-the-top of crops that have a different and specified herbicide resistant gene. Always read and follow herbicide directions prior to use. Not all herbicides are registered for sale or use in all states or counties in the United States or all provinces in Canada. Contact your local regulatory agency to determine if a product is registered for sale or use in your area. Always read and follow label directions. ACCIDENTAL APPLICATION OF INCOMPATIBLE HERBICIDES TO THIS VARIETY COULD RESULT IN TOTAL CROP LOSS. YOU MUST SIGN A TECHNOLOGY USE AGREEMENT AND READ THE PRODUCT USE GUIDE PRIOR TO PLANTING. The purchase of these seeds includes a limited license to produce a single soybean crop in the United States (or other applicable country). The use of seed from such a crop or the progeny thereof for propagation or seed multiplication or for production or development of a hybrid or different variety of seed is strictly prohibited. Resale or transfer of the seed is strictly prohibited.

Corteva Agriscience and M.S. Technologies, L.L.C. Enlist, Enlist E3, the Enlist E3 logo, and



herbicide tolerant trait

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® applied. Contact your state pesticide regulatory agency if you have questions about the technology are the only herbicides containing 2,4-D that are authorized for registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide

PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, NH, NV, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All restrictions in A. Q., it is an M., which existing country restrictions state tenant in E. A. in users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa.gov/espp/, call 1-844-447-3813, or email ESPP@epa.gov. You must use the "Bulletin" valid for the month and state and county in which Enlist One or Enlist Duo are being

ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2,4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by ADDITION TO CIVIL AND/ OR CRIMINAL PENALTIES. Additional product-specific Conteva Applications of Child Product Specific Child Pr stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can FORTUS are trademarks of Korkys Agriculture and Its officers are trademarks of Korkys Agriculture and Its officers are trademarks and Its officers are tradem



